NHSaves 2024 Button Up Workshop

How to Improve the Energy Efficiency of Your Home



For energy cost savings, improved comfort, and lower carbon footprint









NHSaves Button Up Overview

- Energy Use and Savings Tips
- Insulation and Air Sealing A-B-Cs
- What to Do?
- NHSaves Programs

NHSaves Button Up presentation PDF available from PAREI at: plymouthenergy.org/nh-saves-button-up/




The Greenest Energy

What is the "GREENEST" Energy?



The Greenest Energy






Rising Cost of Energy

New Hampshire Residential Energy Costs per Household: ~\$3,000 in 2020

NH: 9th most energyexpensive state in the U.S. -WalletHub 7/23




Current NH energy fuel prices: <u>www.energy.nh.gov/energy-information/nh-fuel-prices</u>



Get to Know Your Energy Bills

Know how much electricity you are using





Major Household Electrical Uses

Where are you using electricity?



| Residential Electricity Use | Approximate Annual Kilowatt- hours | Potential for saving energy | |
|-----------------------------|--|-----------------------------------|--|
| Electric Water Heater | 2,100 | *** | |
| Refrigerators & Freezers | 1,050 | * * * | |
| Lighting | 1,000 | ** | |
| Dehumidifiers | 900 | *** | |
| Electric Clothes Dryers | 800 | ** | |
| Entertainment Centers | 650 | * | |
| Furnace or Boiler | 400 | ** | |
| Dish and Clothes Washers | 350 | ** | |
| Cooking | 300 | * | |


Electricity consumption varies widely from household to household. Energy savings come from efficiency and/or conservation.

Measuring Electricity Use

How much electricity do plug-in devices use?

Use a watt meter

- Available from many NH public libraries
- Measures watts, time, and kilowatt-hours





Whole House Electricity Monitors

Provides:


- Current electrical use
- Total consumption by day, week, etc.

May also provide:

- Usage by circuit
- Individual device use

Brands:

- Sense, Smappee, Engage, TED, Vue Smart, etc.
- \$100 \$300
- Electrician install





Energy Saving Tip: Conservation

Shut things off when not in use





And eliminate phantom loads when possible



Lighting Efficiency

The LED Lighting Revolution

Any existing 60+ watt light bulbs?

- Low LED prices
- Easy \$\$ savings



Lighting Efficiency

The LED Lighting Revolution

Any existing 60+ watt light bulbs?

- Low LED prices
- Easy \$\$ savings

Lots of opportunities

- Screw-in light bulbs
- Outdoor lighting
- Holidays lights
- Can lights and linear lighting





Lighting Efficiency

The LED Lighting Revolution

Any existing 60+ watt light bulbs?

- Low LED prices
- Easy \$\$ savings

Lots of opportunities

- Decorative light bulbs
- Outdoor lighting
- Holidays lights
- Can lights and linear lighting



Look for:

- Light color (2700° K = "warm white")
- Dimming and dimmer capability
- "Suitable for enclosed fixtures"
- "Suitable for damp locations"





Domestic Hot Water Energy Savings

Actions to save on hot water heating costs





Other Energy Conservation Tips

Actions you can do around the house





NHSAVES Rebates on ENERGY STAR Appliances

Rebates include:

energystar.gov lists appliance efficiency

nhsaves.com/nh-rebates appliance rebate forms & updates

2nd refrigerator: Free haulaway + \$75 for an OLD refrigerator or freezer



| Electric Clothes Dryers | \$40 - \$200 |
|-------------------------|--------------|
| Clothes Washers | \$25 - \$50 |
| Dehumidifiers | \$25 |
| Refrigerators | \$40 - \$50 |
| Room Air Conditioners | \$20 |

Also pool pumps, room air purifiers & other efficient appliances

Staying Warm in Your Home

Fact: We have to heat our homes to live in New Hampshire and stay warm



Staying Warm in Your Home

Fact: We have to heat our homes to live in New Hampshire and stay warm



Goal: Use less energy to heat our homes and still stay warm and comfortable (not just turn down thermostat!)

Heating Energy Savings Tips

No or low-cost options to use less heat:

Turn down heat when not in a room or in the house Use programmable or smart thermostats Remove window A/Cs in winter Close storm windows Latch closed windows



Staying Warm in Your Home

Heat always moves from Hot to Cold

Fact: Winter warmth inside our homes seeks to "escape" through the building shell to outdoors.

Goal: Slow this process down






Building Science and Heat Transfer

Heat moves via three methods:

- Conduction
- Convection
- Radiation







Building Science – Conduction & Insulation

Thermal Conduction:

The movement of heat through materials






Insulation is a poor thermal conductor: GOOD!



Lots of Materials Can Be Insulation...





Insulation & Building Materials R-Values

R-Values: The higher the R-value the better the insulation

Functional R-values may be affected more by install quality than the material used. Approximate R-values: (per inch, if installed properly)

| Fiberglass | R-3.7 |
|------------------------|-----------------------|
| Cellulose | R-3.6 |
| Rigid foam board | R-4 to R-7 |
| Spray foam | R-6 to R-7 |
| New double pane window | R-3.5 Whole Window |
| Softwood | R-1.3 |
| 8" concrete wall | R-1 (for 8"!) |



Installed Insulation R-Values

NEW house built to the NH Energy Code:

| Attic | R-38-49 |
|-------------------|---------------|
| Walls | R-20 |
| Basement walls | R-15 to R-19 |
| Doors and windows | R-3.1 (U≤.32) |
| puc.nh.gov | |

Average NH House functional R-Values:

| Attic | R-10 to R-30 |
|----------------|--------------|
| Walls | R-3 to R-16 |
| Basement walls | R-1 to R-5 |



Installed Insulation R-Values

Quiz: What is the average R-value of an attic with R-38 insulation covering 95% of the area?

Hint: It's less than R-30...





Insulating Thermal Barriers May Be:

Insufficient (not enough R value)

Incomplete (low R value in spots)

Missing (where?)












Heat rises: true, or false?



Quiz:

Heat rises: true, or false?

Answer: FALSE! Heat conduction can move in any direction from hot to cold!






Quiz:

Heat rises: true, or false?

But... Warm AIR rises (making it look like heat is rising)






Convection Causes Winter Air Leakage

<u>Warm</u> air is more buoyant – rises and leaks out the **top** of a building <u>Cold outside air leaks in down low</u>



Convective air currents = "Stack Effect" Stronger with big temperature differences





Ranking of Air Leakage Areas: "A – B – C"

2nd: B - Basement

3rd: C - Center





A - Lots of Air Leaks in the Attic (and insulation opportunities)

Common air leaks at the top of a building:



Ceiling lights & bath fans

Pipe & electrical penetrations Chimney chases Tops of interior walls Ducts & registers



Is this Good?


This pegboard attic hatch with 16" fiberglass insulation?





A - Moisture in Attics and Air Leakage

Attic air leaks can lead to condensation, mold and rot



Warm, moist air leaks into the attic where it hits cold surfaces and condenses.



A - Moisture in Attics and Air Leakage

Attic air leaks can lead to condensation, mold and rot



Warm, moist air leaks into the attic where it hits cold surfaces and condenses.

NOT a leaky roof. An (air) leaky ceiling!



B - Basement Air Leakage & Air Sealing Opportunities



Exterior doors

Around old basement windows

Electrical, plumbing and other penetrations Box sill (rim joist) area



C - Center of the House Air Leakage

More visible, but fewer air sealing opportunities







Cracks around exterior doors



Old pulley-hung windows

Most windows <u>don't</u> leak much air. Fireplace & woodstove flues

Air Sealing and Fresh Air

Fresh Air is needed for a healthy home



- For a typical home, about 1/3 of the home's air should be exchanged every hour
- Many NH homes are 2 4 times too leaky!



(Leaky homes are "nosebleed dry" in winter)




"Seal Tight and Ventilate Right" Mechanical Ventilation

Control air leakage, and... Provide measured fresh air & stale air exhaust

- As simple as a high quality bathroom fan
- Or a heat recovery ventilator (HRV)

With controllability

- High and low air flow settings
- Timers, occupancy sensors, CO2 sensors, etc.






Bath Fan Venting

Vent fans to Outside with insulated rigid vent pipe

NOT into attic!







Health & Safety - Indoor Moisture

Eliminate, Isolate, or Control sources of indoor moisture:

- Wet or dirt floor basements/crawlspaces
- Bath fans venting into attics
- Bathrooms without bath fans
- Disconnected clothes dryer vents

Other indoor moisture sources: Plants, humans, pets, open sump pits, cooking, leaky pipes, new construction materials, open basement windows in summer





Quiz

What is the biggest factor causing ice dams on this house?





The Solution?





Remember "ABC" -- Attic, Basement, Center

Air Sealing and Insulation -Cover attic with 12" – 16" of blown insulation

AFTER air sealing!



Attic before and after air sealing & insulation



A - Attic Air Sealing -- Prior to Insulation



Air sealed chimney chase w- fire-rated materials



Spray foam "skim coat" attic air seal, prior to insulation



A - Attic Insulation, Floors, and Hatches












A - Cape / Kneewalls Air Sealing & Insulation



Spray foam prior to drywall fire barrier



Metal-faced "Thermax" brand foam board is fire-rated for kneewalls



B - Basement Air Sealing and Insulation



BEFORE

AFTER Insulated and airsealed custom door



B - Basement Wall Insulation



Thermax



Spray Foam

Fix basement water issues first

Uncovered foam needs a fire barrier. Professional installation advised.



C - Air Sealing in <u>Center</u> of House



Chimney flue blocker



Exterior door "Q-lon" style weatherstripping



Fire-rated air sealing around an exposed chimney chase



C – Densepack Insulation in Framed Walls

Densepack insulation air seals & insulates empty cavities

During installation, tube is inserted into each cavity.



recommended.



Image courtesy of Vermont Dept. of Children & Families

Best after attic and basement are improved




Seal Leaky Attic and Basement Ducts

Mastic!

- Goop on to seal ducts
- Reinforce with drywall joint tape
- NOT duct tape!
- Then insulate ducts completely







Window Options

What about windows?

- There are many reasons to replace windows...
 ...Cost-effective energy savings is rarely one of them
- New windows ~R-3 R-4
- Old, leaky windows can be replaced, or...
- Other options include: adding storm windows, indoor inserts, cellular shades, window quilts, or window repair





Photo: WindowDressers.org

Feeling Overwhelmed?





Home Performance Pros (Energy Auditors and Contractors)

Comprehensive, whole-house energy assessment

- Building envelope inspection & tests
 - Including a blower door air leakage test
- Combustion efficiency & safety tests
- Written report with prioritized list of cost-effective improvements





Finding Qualified Energy Professionals

Look for

- Certifications: BPI Building Analyst, BPI HEP Energy Auditor, or RESNET Energy Rater
- *Tools of the trade:* blower door, infrared camera, combustion analyzer, etc.
- Experience, references, written energy assessment / proposal

Qualified contractor lists

- REPA NH Residential Energy Performance Association members
- NHSaves qualified residential contractors





Tools of the Trade

Blower Door

- Measures amount of air leakage: CFM50
- Identifies sources of air leakage
- Determines air ventilation rates
- Prioritizes air sealing opportunities
- Confirms amount of air sealing accomplished



Blower door tests now Energy Code-required



Tools of the Trade

Infrared Thermal Camera

- Visual images of hot and cold areas
- Helps sleuth insulation issues
- Used with a blower door to show air leakage pathways





Combustion Safety and Carbon Monoxide

Back-drafting flue gases into a home can poison occupants



Seek combustion safety assistance from a home performance professional.

Make sure CO detectors are properly installed and functional.







Heating System Recommendations

- Test & clean regularly
- Seal and insulate ducts
- Replace furnace filters regularly
- Consider a more energy efficient replacement



Test & Clean

ENERG

ERGYGUIDE

630 ...



Replace filters



Efficiency Priorities

Focus on the building envelope first, then heating and cooling systems


- An efficient heating or cooling system in a leaky envelope still wastes a lot of energy!
- Also seal & insulate ducts and heating / hot water pipes





Energy Audit Example

Massive air leak to the attic -- hiding behind a mirror





NHSaves Rebates and Services- nhsaves.com

- Appliance rebates
- Heating, cooling and water heating incentives
- ENERGY STAR New Homes
- Home Energy Assistance
- Financing

NHSaves

Your Source for Energy Efficier

- Energy Audits and Weatherization:
 - Home Energy Performance program



Liberty


(3) Initil

Efficient Heating, Cooling & Hot Water

Plenty of high efficiency options & incentives

- Efficient natural gas boilers and furnaces (NHSaves)
- Mini-split cold climate heat pumps (NHSaves & IRA)
- Heat pump electric hot water heaters (NHSaves & IRA)
- EPA certified wood and pellet stoves (IRA)
- Wi-Fi smart thermostats (NHSaves)

NHSaves = NHSaves incentives Go to <u>NHSaves.com</u> for specifics IRA = Separate "Inflation Reduction Act" federal tax credits





High Efficiency Heat Pumps

Cold Climate Heat Pumps for A/C & Heat


- Ductless "mini splits" heat and cool air
- Also ducted heat pumps
- "Air-to-water" heat pump boilers...
- Cold climate models can extract heat from -20° air!





High Efficiency Heat Pumps for Water and Air

Heat Pumps move heat from one place to another...



... using the refrigeration cycle



NHSaves Heating, Cooling & Hot Water Incentives

A sampling of NHSaves rebates for efficient systems:

| Mini-split cold climate heat pumps | \$250*/ton |
|------------------------------------|---------------|
| Natural gas boilers and furnaces | up to \$1,500 |
| Heat pump hot water heaters | \$750 |
| Wi-Fi smart thermostats | \$85** |

Go to <u>NHSAVES.com</u> and contact your utility for specific incentives

- Utility-specific
- Low-interest financing options
- Funding availability





*1 ton = 12,000 BTUs (NHEC: higher rebates)

**With heat pumps or natural gas heat

Energy Efficient NEW Construction

ASK ABOUT

CERTIFIED HOMES

NHSaves ENERGY STAR Certified NEW Homes

- Incentives for builders
- Verified by a HERS Rater
- Energy savings, comfort, and higher resale value

"Drive to Net Zero Competition" for home builders

- Net zero homes = no net usage of energy
- "Reduce then produce"
 with solar PV
- Cash prizes for builders





NHSaves for Existing Homes

NHSaves "Home Energy Performance" program for existing homes

- Qualify with online "Home Heating Index" calculator
- Comprehensive home energy audit for \$100
 - Credited towards improvement work -- net cost: \$0
- Pays for 75% of eligible energy improvements up to \$6,000*
- Low or no interest financing may be available

nhsaves.com/residential/weatherization/



*Improvements that meet minimum benefit/cost ratio. Subject to changes / availability.

NHSaves.com "Test Your Home" – Home Heating Index



Test Your Home

Here's what you will need to get started:



Your heating usage for the past twelve months

The conditioned square footage of your home

Your heating fuel source and your utility provider

Your zip code

TEST YOUR HOME



NHSaves- Home Heating Index Calculator

| STEP 1 Basic Informa | tion | | | |
|------------------------|--|---------------|--|---------------------------------|
| Electric Utility | | Zip Code | Conditioned Square Footage | _ |
| Eversource | ~ | 03246 | 2000 | |
| | | | How do I calculate Conditioned Square Footage? | |
| STEP 2 Annual Heatin | | 12 m - m th - | | _ |
| Natural Gas (Therms) | used to heat your home for the last Select Natural Gas Provider | | ic heat or heatpumps? | *If your home has |
| Enter Usage Value | Select Utility V | 🔵 Yes 💿 No | | electric heat, also |
| Heating Oil (Gallons) | Propane (Gallons) | | | enter monthly kilowatt-hours |
| 800 | Enter Usage Value | | | electricity usage. |
| Wood (Full Cords) | Wood Pellets (Tons) | | | |
| 2 | Enter Usage Value | | | |



NHSaves- Home Heating Index Calculator

If Home Heating Index Results Are High Enough* – Your Home Qualifies!

| YOUR RES | | |
|--|----------------------------------|--|
| Basic Informat | ion | Heating Index |
| Electric Utility Zip Code Conditioned Square Footag | Eversource 03246 2000 | Your home may be a good candidate for weatherization services. 0 - 4 Low Energy Use 4 - 7 Moderate Energy Use |
| Annual Heating | g Fuel Usage Heating Oil,Wood | 7 - 9 0 16 High Energy Use 9+ Very High Energy Use |
| Heating Oil Wood | 800 Gallons 2 Full Cords | Enroll For Home Efficiency Audit Complete and submit your enrollment form. |
| | | PROCEED TO ENROLLMENT FORM |

| *Minimum HHI values for NH | | | | |
|-----------------------------------|----|--|--|--|
| Home Energy Performance | | | | |
| eligibility: | | | | |
| Eversource: | 7 | | | |
| Liberty Electric: | 10 | | | |
| Liberty Gas: | 8 | | | |
| NHEC: | 8 | | | |
| Unitil Electric: | 8 | | | |
| Unitil Gas: | 9 | | | |
| (As of April 2024; qualification | | | | |
| criteria may change) | | | | |
| If your home doesn't qualify, ask | | | | |
| about other NHSaves programs, | | | | |
| such as "HEP-lite." | | | | |



NHSaves Home Energy Performance Report

Sample NHSaves Home Energy Performance report with 75% utility cost-share up to \$6k; 100% for air sealing

| Manufacture and Annual An | | | | A CONTRACTOR OF A CONTRACTOR A CONTRA | | |
|--|-------------|-------------------|--------------------|--|--|---|
| Proposed Improvement | Total Cost | Utility Rebate | Customer Co-Pay | ESTIMATED VALUES ** | | A DESCRIPTION OF THE OWNER OF THE |
| | | | | Pay Back Period (years) | Customer Cost Savings (\$/year) | Customer Accepts |
| Improve 1,150 sq ft of attic floor Insulation from 6 inches to 15 inches. | \$3,409.31 | \$558.61 | \$2,850.70 | 21.9 | \$129.95 | |
| Reduce the house air leakage from 1905 CFM50 to 1705 CFM50. | \$800.00 | \$800.00 | \$0.00 | 0.0 | \$86.01 | |
| Improve 15 sq ft of rim joist from No insulation to High insulation | \$292.00 | \$219.00 | \$73.00 | 3.6 | \$20.42 | |
| Improve 673 sq ft of basement wall from No insulation to High insulation | \$4,745.00 | \$3,558.75 | \$1,186.25 | 4.0 | \$298.14 | |
| Ancillary Savings - Central A/C (1.0) | | \$0.00 | \$0.00 | 0.0 | \$10.05 | 5 |
| Program Delivery/Audit Fee | \$863.64 | \$863.64 | 0.00 | | | |
| Customer Co-Pay Pre-Payment | | | | | | |
| Fotals 🍾 | \$10,109.95 | \$6,000.00 | \$4,109.95 | 7.1 | 5 \$544.5 | 7 |
| Total Eversource Rebate: | | | \$6,0 | 00.00 | | |
| Total Rebate: | | | \$0 | 0.00 | | |
| Customer Co-Pay Balance: | | | \$4,1 | 09.95 | | |



Weatherization & Fuel Assistance Programs (Income-Qualified)


Weatherization Assistance Program & Home Energy Assistance

- Financial assistance that pays for energy reduction measures in a home
- Contact:
 - County-based Community Action Agencies (CAAs)
 - Your utility, or dial 211

NH Electric and Fuel Assistance programs

- Financial assistance with electricity and fuel bills
- Same CAA, utility and 211 contacts





Federal Inflation Reduction Act Tax Credits

In addition to NHSaves, 3 big energy efficiency programs for existing homes in the IRA:

(1) 25C Energy Efficient Home Improvement Tax Credit

- 30% tax credit for 2024+, with limits
- Equipment, installations, and services must meet US DOE criteria
- For homeowners' principal residence or renters
- Available NOW -- claim in 2025 on 2024 federal taxes

Examples of maximum tax credits:

| Heat pumps, incl. hot water: \$2,000 | Weatherization: \$1,200 |
|--------------------------------------|-------------------------|
| Biomass stoves & boilers: \$2,000 | Energy audits: \$150 |
| Fossil fuel heaters: \$600 | Windows: \$600 |



IRA's Electrification Rebates (HEAR)

(2) Home Electrification and Appliance Rebates (HEAR)

- Late 2024 program- to be administered by NH Dept. of Energy
- Income-qualified occupants- using "Area Median Income" (AMI)
- Under 80% AMI: 100% rebates
- 80% 150% AMI: 50% rebates
- Point-of-sale rebates up to \$14,000 for qualified installations, with limits
- For owned or rented residential units- using AMI of occupants*

| Example | Heat pumps: \$8,000 | Weatherization: \$1,600 |
|----------|-----------------------------------|-------------------------------|
| max | Heat pump hot water: \$1,750 | Electric wiring: \$2,500 |
| rebates: | Electric range or HP dryer: \$840 | Electric load center: \$4,000 |



*50+% occupants under 80% AMI: building qualifies

IRA's Home Efficiency Rebates

(3) Home Efficiency Rebates (HOMES)

- Late 2024 program- to be administered by NH Dept. of Energy
- Whole home retrofit program- weatherization, potentially HVAC, etc.
- Maximum rebate amount depends on income and % energy savings
- For owned or rented residential units- using AMI of occupants
- IRA rebate programs can be combined with IRA tax credits and NHSaves incentives!

| (assuming modeled energy savings) | Rebate % | Max rebate w- 20-35% savings | Over 35% savings |
|-----------------------------------|----------|---------------------------------|---------------------|
| Under 80% AMI | 80% | \$4,000 | \$8,000 |
| All higher incomes | 50% | \$2,000 | \$4,000 |



Summary

- Know about your energy use and savings opportunities
- Air seal first: A-B-C
- Add insulation where you can
- For expert work, work with a home performance professional
- Utilize NHSaves energy efficiency programs





Thank You

NHSaves Button Up NH is coordinated by PAREI- the <u>Plymouth Area Renewable Energy Initiative</u> with support from the NHSaves' utilities.

For a copy of the presentation please visit: plymouthenergy.org/nh-saves-button-up/

Support future workshops ... let your utility know.

